

1      **WHAT IS CLAIMED IS:**

2            1. A decorative shade for a video display that has a screen, the  
3        decorative shade comprising:  
4                a window (10) being a rectangular frame and having  
5                an opening (12) that is adapted to align with the screen when  
6        the window (10) is mounted on the video display;  
7                a front face with an outer edge;  
8                a rear face with an outer edge common to the front face;  
9                a flange (14) formed around and extending from the outer edge  
10       of the rear face, wherein the flange (10) has multiple inner faces having  
11       a top inner face, a bottom inner face and two inner side-faces;  
12                a rolling device (20) attached to one of the inner faces and  
13       comprising a roller (22) and a driver (24) attached to the roller (22) to rotate  
14       the roller (22); and  
15                a blind (30) wound on the roller (22) and having an attached end  
16       attached to the roller (22), a free end and an outer face with a picture.

17            2. The decorative shade as claimed in claim 1, wherein the window  
18       (10) has  
19                two roller brackets (16) respectively attached to the top inner face;  
20       and  
21                two holes respectively defined in the two roller brackets (16) and  
22       aligning with each other;  
23                wherein the roller (22) has two ends penetrating respectively the two  
24       holes in the roller brackets (16).

1           3. The decorative shade as claimed in claim 1, wherein the driver (24)  
2       is electrically driven.

3           4. The decorative shade as claimed in claim 2, wherein the driver (24)  
4       is electrically driven.

5           5. The decorative shade as claimed in claim 1, wherein the driver (24)  
6       is manually driven.

7           6. The decorative shade as claimed in claim 2, wherein the driver (24)  
8       is manually driven.

9           7. The decorative shade as claimed in claim 4, wherein the driver (24)  
10      is electrically driven with a remote control.

11          8. The decorative shade as claimed in claim 1, wherein blind (30)  
12      further has a weighted rod (32) attached to the free end.

13          9. The decorative shade as claimed in claim 2, wherein blind (30)  
14      further has a weighted rod (32) attached to the free end.

15          10. The decorative shade as claimed in claim 1, wherein decorative  
16      shade further has a closing device (35) attached to one of the inner faces on  
17      the flange (14) opposite to the rolling device (20).

18          11. The decorative shade as claimed in claim 1, wherein the window  
19      (10) has

20           two roller brackets (16) attached to one of the inner side-faces; and  
21           two holes respectively defined in the two roller brackets (16) and  
22      aligning with each other;

23           wherein the roller (22) has two ends penetrating respectively the two  
24      holes in the roller brackets (16).

1           12. The decorative shade as claimed in claim 11, wherein decorative  
2       shade further has a closing device (35) attached to the other inner side-face  
3       on the flange (14) opposite to the rolling device (20).

4           13. The decorative shade as claimed in claim 12, wherein the closing  
5       device (35) comprises

6           a roller;

7           a driver attached to the roller to rotate the roller; and

8           two cords (352) attached between the roller and the blind (30)

9       respectively at ends to keep the blind (30) straight and flat.